

AXIS Q1659 24MM F/2.8



Artikelnummer: 216238
EAN: 7331021056350



Netzwerkamera, Tag/Nacht, 24mm, 5472x3648, SFP-Slot, EF/EF-S Mount, PoE, 8-28VDC

Hauptmerkmale

Spezifikationen

Produktkennzeichnungen	
EAN/GTIN	7331021056350

Optionales Zubehör

Art. Nr.	Name	Produkt Beschreibung
230246	AXIS 30 W MIDSPAN AC/DC 24 V	PoE+ Midspan, IEEE802.3at, IEEE802.3af, 1 Port, Innen, 30W, 24 V AC, 10-28 V DC
229178	AXIS 30W MIDSPAN	PoE+ Midspan, IEEE802.3at, Type 2, Class 4, 1 Port, Innen, 100-240VAC
226163	AXIS 30W OUTDOOR MIDSPAN	PoE Midspan, 1 Port, IEEE802.3at, 30W, IP66/67, -40°C - +65°C
216645	AXIS 4IN1 SECURITY SCREWDRIVER	Schraubendreher Set, 4-in-1, Biteinsätze passend für Axis Produkte, inkl. Tasche
213761	AXIS ACS 1 CORE DEVICE LICENSE	Axis Camera Station Software, Version 5.x Core Device, 1 Kanal, Papierlizenz!
213765	AXIS ACS 1 UNIVERSAL DEVICE LICENSE	Axis Camera Station Software, Version 5.x Universal Device, 1 Kanal, Papierlizenz!

AXIS Q1659 24MM F/2.8

Fortsetzung Zubehör

213767	AXIS ACS 10 UNIVERSAL DEVICE LICENSE	Axis Camera Station Software, Version 5.x Universal Device, 10 Kanal, Papierlizenz!
213763	AXIS ACS 16 CORE DEVICE LICENSE	Axis Camera Station Software, Version 5.x Core Device, 16 Kanal, Papierlizenz!
213768	AXIS ACS 20 UNIVERSAL DEVICE LICENSE	Axis Camera Station Software, Version 5.x Universal Device, 20 Kanal, Papierlizenz!
213764	AXIS ACS 32 CORE DEVICE LICENSE	Axis Camera Station Software, Version 5.x Core Device, 32 Kanal, Papierlizenz!
213762	AXIS ACS 4 CORE DEVICE LICENSE	Axis Camera Station Software, Version 5.x Core Device, 4 Kanal, Papierlizenz!
213769	AXIS ACS 4 TO UNIVERSAL 1 UPG.LIC	Axis Camera Station, Upgrade Version 4.x auf 5.x Universal Device, 1 Kanal, Papierlizenz!
213771	AXIS ACS 4 TO UNIVERSAL 10 UPG.LIC	Axis Camera Station, Upgrade Version 4.x auf 5.x Universal Device, 10 Kanal, Papierlizenz!
213772	AXIS ACS 4 TO UNIVERSAL 20 UPG.LIC	Axis Camera Station, Upgrade Version 4.x auf 5.x Universal Device, 20 Kanal, Papierlizenz!
213770	AXIS ACS 4 TO UNIVERSAL 5 UPG.LIC	Axis Camera Station, Upgrade Version 4.x auf 5.x Universal Device, 5 Kanal, Papierlizenz!
213759	AXIS ACS 4 TO UNIVERSAL UPG E-LICENSE	Axis Camera Station, Upgrade Version 4.x nach 5.x Universal Device, E-Lizenz, 1 Kanal
213766	AXIS ACS 4 UNIVERSAL DEVICE LICENSE	Axis Camera Station Software, Version 5.x Universal Device, 4 Kanal, Papierlizenz!
213757	AXIS ACS CORE DEVICE E-LICENSE	Axis Camera Station Software, Core Device, E-Lizenz 1 Kanal, Sammelcode bei > 1 Stück
213773	AXIS ACS CORE TO UNIVERSAL 1 UPG.LIC	Axis Camera Station, Upgrade Version 5.x Core auf Universal Device, 1 Kanal, Papierlizenz!
213775	AXIS ACS CORE TO UNIVERSAL 10 UPG.LIC	Axis Camera Station, Upgrade Version 5.x Core auf Universal Device, 10 Kanal, Papierlizenz!
213776	AXIS ACS CORE TO UNIVERSAL 20 UPG.LIC	Axis Camera Station, Upgrade Version 5.x Core auf Universal Device, 20 Kanal, Papierlizenz!
213774	AXIS ACS CORE TO UNIVERSAL 5 UPG.LIC	Axis Camera Station, Upgrade Version 5.x Core auf Universal Device, 5 Kanal, Papierlizenz!
213760	AXIS ACS CORE TO UNIVERSAL UPG E-LICENSE	Axis Camera Station, Upgrade Version 5.x Core to Universal Device, E-Lizenz, 1 Kanal
213758	AXIS ACS UNIVERSAL DEVICE E-LICENSE	Axis Camera Station Software, Universal Device, E-Lizenz 1 Kanal, Sammelcode bei > 1 Stück
209556	AXIS CONNECTOR A 2P2.5 STR 10PCS	Axis Anschlussblock, 10-polig, Stecker, Abstand: 2.50 mm, für I/O Ports, 10 Stück
208972	AXIS CONNECTOR A 2P3.81 STR 10PCS	Axis Anschlussblock, 2-polig, Stecker, Abstand: 3.81 mm, für Stromversorgung, 10 Stück
208974	AXIS CONNECTOR A 4P2.5 STR 10PCS	Axis Anschlussblock, 4-polig, Stecker, Abstand: 2.50 mm, für I/O Ports, 10 Stück
222224	AXIS I/O INDICATION LED 4P	Rotlicht LED, zur Montage an Axis Kameras, 4 Stück, Zubehörteil
226631	AXIS LONG RANGE POE EXTENDER KIT	PoE Extender, PoE, PoE+, Innen, RJ45, bis 1000m Reichweite

AXIS Q1659 24MM F/2.8

Fortsetzung Zubehör

221875	AXIS M12(F)-RJ45(M) CABLE 0.5M (1.6FT)	Kabel, CAT5e, M12 (Female, D-Code) auf RJ-45 (Male), 0,5m
205706	AXIS NETWORK CABLE COUPLER INDOOR	RJ45 Koppler, Buchse-Buchse, nur für Innenraum
205707	AXIS NETWORK CABLE COUPLER INDOOR SLIM	RJ45 Koppler, Buchse-Buchse, nur für Innenraum, kompakte Ausführung
203847	AXIS NETWORK CABLE COUPLER IP66	RJ45 Koppler, Buchse-Buchse, für Außen, IP66
226632	AXIS RJ45 FIELD CONNECTOR 10 PCS	Netzwerkstecker, RJ45, male, CAT5/6/6a (AWG 22-26), MPTL- und PoE geeignet, 10 Stück
219743	AXIS SURVEILLANCE CARD 128 GB	Speicherkarte, microSDXC, 128GB, Class 10, 50-80 MB/s, SD-Adapter, Axis zertifiziert
220341	AXIS SURVEILLANCE CARD 128 GB 10P	Speicherkarte, microSDXC, 128GB, Class 10, 50-80 MB/s, Axis zertifiziert, 10 Stück
233955	AXIS SURVEILLANCE CARD 1TB	Speicherkarte, microSDXC, 1TB, Class 10, UHS-I U1, inkl. SD-Adapter
233956	AXIS SURVEILLANCE CARD 1TB 10PCS	Speicherkarte, microSDXC, 1TB, Class 10, UHS-I U1, inkl. SD-Adapter, 10 Stück
226777	AXIS SURVEILLANCE CARD 256GB	Speicherkarte, microSDXC, 256GB, Class 10, V30, inkl. SD-Adapter
226778	AXIS SURVEILLANCE CARD 256GB 10PCS	Speicherkarte, microSDXC, 256GB, Class 10, V30, inkl. SD-Adapter, 10 Stück
233953	AXIS SURVEILLANCE CARD 512GB	Speicherkarte, microSDXC, 512GB, Class 10, UHS-I U1, inkl. SD-Adapter
233954	AXIS SURVEILLANCE CARD 512GB 10PCS	Speicherkarte, microSDXC, 512GB, Class 10, UHS-I U1, inkl. SD-Adapter, 10 Stück
203447	AXIS T8129 POE EXTENDER	PoE Extender, PoE, PoE+ kompatibel, RJ45, 100m Reichweite
217688	AXIS T8144 60W INDUSTRIAL MIDSPAN	High PoE Midspan, 1 Port, 60W, Gigabit, -40 - +75°C, 20-60VDC DIN Montage
221291	AXIS T8351 MK II MICROPHONE 3.5MM	Mikrofon, omnidirektional, analog, 3,5mm Klinkestecker, diskrete Ausführung, IP65
205715	AXIS T8353A MICROPHONE 3.5MM	Mikrofon, omnidirektional, 3,5mm Klinkestecker, diskrete Ausführung
214506	AXIS T8516 POE+ NETWORK SWITCH	Gigabit Switch, managed, 16 PoE+ Ports, 2x SFP/RJ45 Uplinks, 240W PoE, 19", 1HE
204489	AXIS T8604 MEDIA CONVERTER SWITCH	Ethernet Medienkonverter, 2x 10/100Mbps RJ45, 2x 100/1000Mbps SFP
214507	AXIS T8611 SFP MODULE LC.LX	SFP Modul, Gigabit, 1310nm, Single mode, 10km, LC Anschluss
214508	AXIS T8612 SFP MODULE LC.SX	SFP Modul, Gigabit, 850nm, Multi mode, 550m, LC Anschluss
214761	AXIS T8613 SFP MODULE 1000BASE-T	SFP Modul, Gigabit, 1000BASE-T, RJ45
203440	AXIS T8640 POE+ OVER COAX KIT	Medienkonverter, RJ45, BNC, Ethernet über Coax, PoE+, Base-/Device Set (2 Stück)
219754	AXIS T8645 POE+ COAX COMPACT KIT	PoE+ über Coax Set, 1x AXIS T8641 Base Einheit, 1x AXIS T8643 Device Einheit

AXIS Q1659 24MM F/2.8

Fortsetzung Zubehör

218603	AXIS T90D20 IR-LED	LED Infrarot Scheinwerfer, 850nm, 10-120°, austauschbare Linsen, 12-24V, 18W, IP66, IK9
218604	AXIS T90D20 POE IR-LED	LED Infrarot Scheinwerfer, 850nm, 10-120°, austauschbare Linsen, PoE, 20W, IP66, IK09
218606	AXIS T90D25 POE W-LED	LED Weißlicht Scheinwerfer, 6000K, 10-120°, austauschbare Linsen, PoE, 25W, IP66, IK09
218605	AXIS T90D25 W-LED	LED Weißlicht Scheinwerfer, 6000K, 10-120°, austauschbare Linsen, 12-24V, 24W, IP66, IK9
218607	AXIS T90D30 IR-LED	LED Infrarot Scheinwerfer, 850nm, 10-120°, austauschbare Linsen, 12-24V, 46W, IP66, IK9
218608	AXIS T90D30 POE IR-LED	LED Infrarot Scheinwerfer, 850nm, 10-120°, austauschbare Linsen, PoE, 49W, IP66, IK09
218610	AXIS T90D35 POE W-LED	LED Weißlicht Scheinwerfer, 6000K, 10-120°, austauschbare Linsen, PoE, 47W, IP66, IK09
218609	AXIS T90D35 W-LED	LED Weißlicht Scheinwerfer, 6000K, 10-120°, austauschbare Linsen, 12-24V, 42W, IP66, IK9
218611	AXIS T90D40 IR-LED	LED Infrarot Scheinwerfer, 850nm, 10-120°, austauschbare Linsen, 24V, 100W, IP66, IK09
230017	AXIS TU1001-V MICROPHONE	Mikrofon, analog, für Innenmontage, 3,5 mm Klinke, IK10
230016	AXIS TU1001-VE MICROPHONE	Mikrofon, analog, für Außenmontage, 3,5 mm Klinke, IK10, IP66
230875	AXIS TU8001 ETHERNET SURGE PROTECTION	Überspannungsschutz, bis 10kV, für Netzwerkkomponenten, Innen, PoE bis 95W, 1000BASE-T

Optionale Dienstleistungen

Art. Nr.	Name	Produkt Beschreibung
224238	CON-BER-M	2D Planung Medium mittlere Projektkomplexität ca. 25 Kameras
229235	VIDEOR CON-KOMP	Kompatibilitätsprüfung für Kameras, NVR, VMS-Systeme (ein Gerätepaar)
229246	VIDEOR CUS-WSG-EINBAU-B	Montage Kamera / Objektiv in ein Wetterschutzgehäuse
229234	VIDEOR Vorkonfiguration IP-Kamera	IP Konfiguration, Funktionsprüfung, FW-Update für 1x IP-Kamera

AXIS Q1659 24MM F/2.8

Ihr Ansprechpartner

VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Deutschland

