

AXIS Q1659 50MM F/1.4

Artikelnummer: 216240
EAN: 7331021056398



Netzwerkamera, Tag/Nacht, 50mm, 5472x3648, SFP-Slot, EF/EF-S Mount, PoE, 8-28VDC

Hauptmerkmale

Spezifikationen

| Produktkennzeichnungen | |
|------------------------|---------------|
| EAN/GTIN | 7331021056398 |

Optionales Zubehör

| Art. Nr. | Name | Produkt Beschreibung |
|----------|-------------------------------------|--|
| 230246 | AXIS 30 W MIDSPAN AC/DC 24 V | PoE+ Midspan, IEEE802.3at, IEEE802.3af, 1 Port, Innen, 30W, 24 V AC, 10-28 V DC |
| 229178 | AXIS 30W MIDSPAN | PoE+ Midspan, IEEE802.3at, Type 2, Class 4, 1 Port, Innen, 100-240VAC |
| 226163 | AXIS 30W OUTDOOR MIDSPAN | PoE Midspan, 1 Port, IEEE802.3at, 30W, IP66/67, -40°C - +65°C |
| 216645 | AXIS 4IN1 SECURITY SCREWDRIVER | Schraubendreher Set, 4-in-1, Biteinsätze passend für Axis Produkte, inkl. Tasche |
| 213761 | AXIS ACS 1 CORE DEVICE LICENSE | Axis Camera Station Software, Version 5.x Core Device, 1 Kanal, Papierlizenz! |
| 213765 | AXIS ACS 1 UNIVERSAL DEVICE LICENSE | Axis Camera Station Software, Version 5.x Universal Device, 1 Kanal, Papierlizenz! |

AXIS Q1659 50MM F/1.4

Fortsetzung Zubehör

| | | |
|--------|--|---|
| 213767 | AXIS ACS 10 UNIVERSAL DEVICE LICENSE | Axis Camera Station Software, Version 5.x Universal Device, 10 Kanal, Papierlizenz! |
| 213763 | AXIS ACS 16 CORE DEVICE LICENSE | Axis Camera Station Software, Version 5.x Core Device, 16 Kanal, Papierlizenz! |
| 213768 | AXIS ACS 20 UNIVERSAL DEVICE LICENSE | Axis Camera Station Software, Version 5.x Universal Device, 20 Kanal, Papierlizenz! |
| 213764 | AXIS ACS 32 CORE DEVICE LICENSE | Axis Camera Station Software, Version 5.x Core Device, 32 Kanal, Papierlizenz! |
| 213762 | AXIS ACS 4 CORE DEVICE LICENSE | Axis Camera Station Software, Version 5.x Core Device, 4 Kanal, Papierlizenz! |
| 213769 | AXIS ACS 4 TO UNIVERSAL 1 UPG.LIC | Axis Camera Station, Upgrade Version 4.x auf 5.x Universal Device, 1 Kanal, Papierlizenz! |
| 213771 | AXIS ACS 4 TO UNIVERSAL 10 UPG.LIC | Axis Camera Station, Upgrade Version 4.x auf 5.x Universal Device, 10 Kanal, Papierlizenz! |
| 213772 | AXIS ACS 4 TO UNIVERSAL 20 UPG.LIC | Axis Camera Station, Upgrade Version 4.x auf 5.x Universal Device, 20 Kanal, Papierlizenz! |
| 213770 | AXIS ACS 4 TO UNIVERSAL 5 UPG.LIC | Axis Camera Station, Upgrade Version 4.x auf 5.x Universal Device, 5 Kanal, Papierlizenz! |
| 213759 | AXIS ACS 4 TO UNIVERSAL UPG E-LICENSE | Axis Camera Station, Upgrade Version 4.x nach 5.x Universal Device, E-Lizenz, 1 Kanal |
| 213766 | AXIS ACS 4 UNIVERSAL DEVICE LICENSE | Axis Camera Station Software, Version 5.x Universal Device, 4 Kanal, Papierlizenz! |
| 213757 | AXIS ACS CORE DEVICE E-LICENSE | Axis Camera Station Software, Core Device, E-Lizenz 1 Kanal, Sammelcode bei > 1 Stück |
| 213773 | AXIS ACS CORE TO UNIVERSAL 1 UPG.LIC | Axis Camera Station, Upgrade Version 5.x Core auf Universal Device, 1 Kanal, Papierlizenz! |
| 213775 | AXIS ACS CORE TO UNIVERSAL 10 UPG.LIC | Axis Camera Station, Upgrade Version 5.x Core auf Universal Device, 10 Kanal, Papierlizenz! |
| 213776 | AXIS ACS CORE TO UNIVERSAL 20 UPG.LIC | Axis Camera Station, Upgrade Version 5.x Core auf Universal Device, 20 Kanal, Papierlizenz! |
| 213774 | AXIS ACS CORE TO UNIVERSAL 5 UPG.LIC | Axis Camera Station, Upgrade Version 5.x Core auf Universal Device, 5 Kanal, Papierlizenz! |
| 213760 | AXIS ACS CORE TO UNIVERSAL UPG E-LICENSE | Axis Camera Station, Upgrade Version 5.x Core to Universal Device, E-Lizenz, 1 Kanal |
| 213758 | AXIS ACS UNIVERSAL DEVICE E-LICENSE | Axis Camera Station Software, Universal Device, E-Lizenz 1 Kanal, Sammelcode bei > 1 Stück |
| 209556 | AXIS CONNECTOR A 2P2.5 STR 10PCS | Axis Anschlussblock, 10-polig, Stecker, Abstand: 2.50 mm, für I/O Ports, 10 Stück |
| 208972 | AXIS CONNECTOR A 2P3.81 STR 10PCS | Axis Anschlussblock, 2-polig, Stecker, Abstand: 3.81 mm, für Stromversorgung, 10 Stück |
| 208974 | AXIS CONNECTOR A 4P2.5 STR 10PCS | Axis Anschlussblock, 4-polig, Stecker, Abstand: 2.50 mm, für I/O Ports, 10 Stück |
| 222224 | AXIS I/O INDICATION LED 4P | Rotlicht LED, zur Montage an Axis Kameras, 4 Stück, Zubehörteil |
| 226631 | AXIS LONG RANGE POE EXTENDER KIT | PoE Extender, PoE, PoE+, Innen, RJ45, bis 1000m Reichweite |

AXIS Q1659 50MM F/1.4

Fortsetzung Zubehör

| | | |
|--------|--|---|
| 221875 | AXIS M12(F)-RJ45(M) CABLE 0.5M (1.6FT) | Kabel, CAT5e, M12 (Female, D-Code) auf RJ-45 (Male), 0,5m |
| 205706 | AXIS NETWORK CABLE COUPLER INDOOR | RJ45 Koppler, Buchse-Buchse, nur für Innenraum |
| 205707 | AXIS NETWORK CABLE COUPLER INDOOR SLIM | RJ45 Koppler, Buchse-Buchse, nur für Innenraum, kompakte Ausführung |
| 203847 | AXIS NETWORK CABLE COUPLER IP66 | RJ45 Koppler, Buchse-Buchse, für Außen, IP66 |
| 226632 | AXIS RJ45 FIELD CONNECTOR 10 PCS | Netzwerkstecker, RJ45, male, CAT5/6/6a (AWG 22-26), MPTL- und PoE geeignet, 10 Stück |
| 219743 | AXIS SURVEILLANCE CARD 128 GB | Speicherkarte, microSDXC, 128GB, Class 10, 50-80 MB/s, SD-Adapter, Axis zertifiziert |
| 220341 | AXIS SURVEILLANCE CARD 128 GB 10P | Speicherkarte, microSDXC, 128GB, Class 10, 50-80 MB/s, Axis zertifiziert, 10 Stück |
| 233955 | AXIS SURVEILLANCE CARD 1TB | Speicherkarte, microSDXC, 1TB, Class 10, UHS-I U1, inkl. SD-Adapter |
| 233956 | AXIS SURVEILLANCE CARD 1TB 10PCS | Speicherkarte, microSDXC, 1TB, Class 10, UHS-I U1, inkl. SD-Adapter, 10 Stück |
| 226777 | AXIS SURVEILLANCE CARD 256GB | Speicherkarte, microSDXC, 256GB, Class 10, V30, inkl. SD-Adapter |
| 226778 | AXIS SURVEILLANCE CARD 256GB 10PCS | Speicherkarte, microSDXC, 256GB, Class 10, V30, inkl. SD-Adapter, 10 Stück |
| 233953 | AXIS SURVEILLANCE CARD 512GB | Speicherkarte, microSDXC, 512GB, Class 10, UHS-I U1, inkl. SD-Adapter |
| 233954 | AXIS SURVEILLANCE CARD 512GB 10PCS | Speicherkarte, microSDXC, 512GB, Class 10, UHS-I U1, inkl. SD-Adapter, 10 Stück |
| 203447 | AXIS T8129 POE EXTENDER | PoE Extender, PoE, PoE+ kompatibel, RJ45, 100m Reichweite |
| 221291 | AXIS T8351 MK II MICROPHONE 3.5MM | Mikrofon, omnidirektional, analog, 3,5mm Klinkestecker, diskrete Ausführung, IP65 |
| 205715 | AXIS T8353A MICROPHONE 3.5MM | Mikrofon, omnidirektional, 3,5mm Klinkestecker, diskrete Ausführung |
| 214506 | AXIS T8516 POE+ NETWORK SWITCH | Gigabit Switch, managed, 16 PoE+ Ports, 2x SFP/RJ45 Uplinks, 240W PoE, 19", 1HE |
| 204489 | AXIS T8604 MEDIA CONVERTER SWITCH | Ethernet Medienkonverter, 2x 10/100Mbps RJ45, 2x 100/1000Mbps SFP |
| 214507 | AXIS T8611 SFP MODULE LC.LX | SFP Modul, Gigabit, 1310nm, Single mode, 10km, LC Anschluss |
| 214508 | AXIS T8612 SFP MODULE LC.SX | SFP Modul, Gigabit, 850nm, Multi mode, 550m, LC Anschluss |
| 214761 | AXIS T8613 SFP MODULE 1000BASE-T | SFP Modul, Gigabit, 1000BASE-T, RJ45 |
| 203440 | AXIS T8640 POE+ OVER COAX KIT | Medienkonverter, RJ45, BNC, Ethernet über Koax, PoE+, Base-/Device Set (2 Stück) |
| 219754 | AXIS T8645 POE+ COAX COMPACT KIT | PoE+ über Coax Set, 1x AXIS T8641 Base Einheit, 1x AXIS T8643 Device Einheit |
| 218603 | AXIS T90D20 IR-LED | LED Infrarot Scheinwerfer, 850nm, 10-120°, austauschbare Linsen, 12-24V, 18W, IP66, IK9 |

AXIS Q1659 50MM F/1.4

Fortsetzung Zubehör

| | | |
|--------|---------------------------------------|--|
| 218604 | AXIS T90D20 POE IR-LED | LED Infrarot Scheinwerfer, 850nm, 10-120°, austauschbare Linsen, PoE, 20W, IP66, IK09 |
| 218606 | AXIS T90D25 POE W-LED | LED Weißlicht Scheinwerfer, 6000K, 10-120°, austauschbare Linsen, PoE, 25W, IP66, IK09 |
| 218605 | AXIS T90D25 W-LED | LED Weißlicht Scheinwerfer, 6000K, 10-120°, austauschbare Linsen, 12-24V, 24W, IP66, IK9 |
| 218607 | AXIS T90D30 IR-LED | LED Infrarot Scheinwerfer, 850nm, 10-120°, austauschbare Linsen, 12-24V, 46W, IP66, IK9 |
| 218608 | AXIS T90D30 POE IR-LED | LED Infrarot Scheinwerfer, 850nm, 10-120°, austauschbare Linsen, PoE, 49W, IP66, IK09 |
| 218610 | AXIS T90D35 POE W-LED | LED Weißlicht Scheinwerfer, 6000K, 10-120°, austauschbare Linsen, PoE, 47W, IP66, IK09 |
| 218609 | AXIS T90D35 W-LED | LED Weißlicht Scheinwerfer, 6000K, 10-120°, austauschbare Linsen, 12-24V, 42W, IP66, IK9 |
| 218611 | AXIS T90D40 IR-LED | LED Infrarot Scheinwerfer, 850nm, 10-120°, austauschbare Linsen, 24V, 100W, IP66, IK09 |
| 230017 | AXIS TU1001-V MICROPHONE | Mikrofon, analog, für Innenmontage, 3,5 mm Klinke, IK10 |
| 230016 | AXIS TU1001-VE MICROPHONE | Mikrofon, analog, für Außenmontage, 3,5 mm Klinke, IK10, IP66 |
| 230875 | AXIS TU8001 ETHERNET SURGE PROTECTION | Überspannungsschutz, bis 10kV, für Netzwerkkomponenten, Innen, PoE bis 95W, 1000BASE-T |

Optionale Dienstleistungen

| Art. Nr. | Name | Produkt Beschreibung |
|----------|-----------------------------------|---|
| 224238 | CON-BER-M | 2D Planung Medium mittlere Projektkomplexität ca. 25 Kameras |
| 229235 | VIDEOR CON-KOMP | Kompatibilitätsprüfung für Kameras, NVR, VMS-Systeme (ein Gerätepaar) |
| 229246 | VIDEOR CUS-WSG-EINBAU-B | Montage Kamera / Objektiv in ein Wetterschutzgehäuse |
| 229234 | VIDEOR Vorkonfiguration IP-Kamera | IP Konfiguration, Funktionsprüfung, FW-Update für 1x IP-Kamera |

AXIS Q1659 50MM F/1.4

Ihr Ansprechpartner

VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Deutschland

