eneo VM-HD15P

SKU: 217912
EAN: 4260229841273



Camera not included

15" (38cm) LCD Monitor HD, 1024x768, LED, HDMI, VGA, BNC, external Power Supply

Main Features

- Professional 15" (38 cm) LCD monitor
- Industrial design built to run 24x7x365 continuously
- Maximum resolution 1024x768 pixels
- LED Back Light
- Fast response time 5ms
- Perfect presentation through digital 3D filtering and noise reduc
- Different video inputs HDMI, VGA, Composite
- Supply voltage: 12VDC
- Plastic cabinet including stand

Specifications

General	
Applications	24/7
Dimensions (WxHxD) (extended)	349x274x43mm
Fortification	VESA Standard 75x75mm
Weight	2.9 kg
Energy efficiency class	E
Color (Housing)	Black
Housing material	Plastic
Power consumption	10 W
Power supply	12VDC
Display	_headline, Anti-glare display, Color TFT-LCD, Hard coating (3H)

© Copyright VIDEOR E. Hartig GmbH - October 2026 - technical changes reserved

eneo VM-HD15P

Continuation of the specifications

Viewing Angle Horizontal	178 °
Viewing Angle Vertical	178 °
Screen diagonal (cm)	38 cm
Screen diagonal (inches)	15 "
Pixel error class	ISO 13406-2, Class 2
Brightness (typical)	350 cd/m²
Backlight	LED
Contrast ratio (typical)	700:1
Response time (typical)	5 ms
Aspect ratio	4:3
Refresh rate	60 Hz
Functions	
Comb filter	Yes
Menu languages	English, German
Notes	
Remark	NDAA compliance under Section 889
Interfaces / Inputs/ Outputs	
Audio Inputs	1
Transmission Technology	HDCP 1.4, HDCP 2.2, HDMI 1.4a
Video Outputs	Composite (FBAS)
Video Inputs	2x Composite (FBAS), HDMI, VGA
Parts supplied	
Scope of delivery	manual,power cord,PSU 100~240VAC,IR remote controller,VGA cable,feet
Video	
Maximum Image Resolution (H x V)	1024x768
Resolution (extended)	800x600,1024x768
Product labeling:	
EAN/GTIN	4260229841273
Manufacturer order number	217912
Series	eneo Monitor

Optional Accessory

SKU	Name	Description
224229	eneo VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
228560	eneo VM-TSHA	Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg
241900	jetrics VM-UCWM20	Compact slim tilt wall mount LCD Monitors, 23" to 42", VESA support up to 25Kg max.

© Copyright VIDEOR E. Hartig GmbH - October 2026 - technical changes reserved

eneo VM-HD15P

Continuation of accessory

241896	jetrics VM-UMA10	Aluminium gas spring monitor arm for wall mount, LCD Monitors, max. 27" support up to 7 kg max.
241897	jetrics VM-UTM10	Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max.
241894	jetrics VM-UWM10	Universal Wall Mount for LCD Monitors, up to max. 27", VESA support up to 15 kg max.
241898	jetrics VM-UWM30	Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.

Your contact person

VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Germany

© Copyright VIDEOR E. Hartig GmbH - October 2026 - technical changes reserved