




eneo VM-HD19P

SKU: 224195



19" (48cm) LCD Monitor HD 1280x1024, LED, HDMI, VGA, Composite

Camera not included

Main Features

Professional 19" (48 cm) LCD monitor

Industrial design built to run 24x7x365 continuously

Maximum resolution 1280x1024 pixels

LED Back Light

Fast response time 5ms

Perfect presentation through digital 3D filtering and noise reduction

Different video inputs HDMI, VGA, Composite

Built-in speakers

Supply Voltage: 12VDC

Plastic cabinet including stand

Specifications

| General | |
|-------------------------------|---|
| Applications | 24/7 |
| Dimensions (WxHxD) (extended) | 426x351x45mm |
| Fortification | VESA Standard 75x75mm |
| Weight | 3.9 kg |
| Energy efficiency class | E |
| Color (Housing) | Black |
| Housing material | Plastic |
| Power consumption | 20 W |
| Power supply | 12VDC |
| Display | _headline, Anti-glare display, Color TFT-LCD, Hard coating (3H) |

eneo VM-HD19P

Continuation of the specifications

| | |
|-------------------------------------|--|
| Viewing Angle Horizontal | 178 ° |
| Viewing Angle Vertical | 178 ° |
| Screen diagonal (cm) | 48 cm |
| Screen diagonal (inches) | 19 " |
| Pixel error class | ISO 13406-2, Class 2 |
| Brightness (typical) | 300 cd/m ² |
| Backlight | LED |
| Contrast ratio (typical) | 1000:1 |
| Response time (typical) | 5 ms |
| Aspect ratio | 5:4 |
| Refresh rate | 60 Hz |
| Functions | |
| Comb filter | Yes |
| Menu languages | English, German |
| Notes | |
| Remark | NDAA compliance under Section 889 |
| Interfaces / Inputs/ Outputs | |
| Audio Inputs | 1 |
| Transmission Technology | HDCP 1.4, HDCP 2.2, HDMI 1.4a |
| Video Outputs | Composite (FBAS) |
| Video Inputs | 2x Composite (FBAS), HDMI, VGA |
| Parts supplied | |
| Scope of delivery | manual,power cord,PSU 100~240VAC,IR remote controller,VGA cable,feet |
| Video | |
| Resolution (extended) | 800x600,1024x768,1280x1024 |
| Maximum Image Resolution (HV) | 1280x1024 |
| Product labeling: | |
| Manufacturer order number | 224195 |
| Series | eneo Monitor |

Optional Accessory

| SKU | Name | Description |
|--------|-------------------|---|
| 228560 | eneo VM-TSHA | Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg |
| 241900 | Jetrics VM-UCWM20 | Compact slim tilt wall mount LCD Monitors, 23" to 42", VESA support up to 25Kg max. |
| 241896 | Jetrics VM-UMA10 | Aluminium gas spring monitor arm for wall mount, LCD Monitors, max. 27" support up to 7 kg max. |
| 241897 | Jetrics VM-UTM10 | Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max. |

eneo VM-HD19P

Continuation of accessory

| | | |
|--------|------------------|--|
| 241894 | Jetrics VM-UWM10 | Universal Wall Mount for LCD Monitors, up to max. 27", VESA support up to 15 kg max. |
| 241898 | Jetrics VM-UWM30 | Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max. |

Your contact person

VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Germany

