eneo VM-FHD12M

SKU: 227599
EAN: 4260229841211



12" (30cm) LCD Monitor FHD, 1920x1080, LED, HDMI, VGA, Composite, TVI, CVI, AHD

Main Features

Professional 12" (30 cm) LCD monitor	Perfect presentation through digital 3D filtering and noise reduc
Industrial design built to run 24x7x365 continuously	Different video inputs HDMI, VGA, Composite (loop-through inp
Maximum resolution 1920x1080 pixels	HD analog multi signal input (TVI, AHD, CVI)
LED Back Light	Supply voltage: 12VDC
Fast response time 5ms	Metal cabinet including stand

Specifications

General	
Applications	24/7
Dimensions (WxHxD) (extended)	326x315x43mm
Fortification	VESA Standard 75x75mm
Weight	2.3 kg
Energy efficiency class	E
Color (Housing)	Black
Housing material	Metal
Power consumption	10 W
Power supply	12VDC
Temperature Range (Operating)	0°C ~ 40°C

© Copyright VIDEOR E. Hartig GmbH - November 2026 - technical changes reserved

eneo VM-FHD12M

Continuation of the specifications

Display	_headline, Anti-glare display, Color TFT-LCD, Hard coating (3H)
Max. Refresh Rate	60 Hz
Panel Type	IPS
Pixel Density	176.23 ppi
Viewing Angle Horizontal	170 °
Viewing Angle Vertical	170 °
Screen diagonal (cm)	30 cm
Screen diagonal (inches)	12 "
Pixel error class	Pixel fault class II according to ISO 9241-307:2008
Brightness (typical)	250 cd/m²
Backlight	LED
Contrast ratio (typical)	1000:1
Response time (typical)	5 ms
Aspect ratio	16:9
Refresh rate	60 Hz
Functions	
Low Blue Light	Yes
Comb filter	Yes
Menu languages	English, German
Notes	
Remark	NDAA compliance under Section 889
Interfaces / Inputs/ Outputs	
Audio Inputs	1
Transmission Technology	HDCP 1.4, HDCP 2.2, HDMI 1.4a
Video Outputs	1x BNC signal loop
Video Inputs	2x HDMI, AHD, Composite (FBAS), CVI, HD-TVI, VGA
Parts supplied	
Scope of delivery	manual,power cord,PSU 100~240VAC,IR remote controller,VGA cable,feet
Video	
Maximum Image Resolution (H x V)	1920x1080
Resolution (extended)	800x600,1024x768,1280x1024,1600x900,1920x1080
Product labeling:	
EAN/GTIN	4260229841211
Manufacturer order number	227599
Series	eneo Monitor

Optional Accessory

SKU	Name	Description

© Copyright VIDEOR E. Hartig GmbH - November 2026 - technical changes reserved

eneo VM-FHD12M

Continuation of accessory

224229	eneo VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
228560	eneo VM-TSHA	Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg
241896	jetrics VM-UMA10	Aluminium gas spring monitor arm for wall mount, LCD Monitors, max. 27" support up to 7 kg max.
241897	jetrics VM-UTM10	Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max.
241894	jetrics VM-UWM10	Universal Wall Mount for LCD Monitors, up to max. 27", VESA support up to 15 kg max.
241898	jetrics VM-UWM30	Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.

Your contact person

VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Germany

© Copyright VIDEOR E. Hartig GmbH - November 2026 - technical changes reserved