


# eneo VM-SD8M

SKU: 229215



8" (20,3cm) LCD Monitor SD, 1024x768, LED, HDMI, VGA, Composite

Camera not included

## Main Features

Professional 8" (23,3 cm) LCD monitor

Industrial design built to run 24x7x365 continuously

Maximum resolution 1024x768 pixels

LED Back Light

Fast response time 5ms

Perfect presentation through digital 3D filtering and noise reduction

Different video inputs HDMI, VGA, Composite

Supply voltage: 12VDC

VESA Standard 75x75mm

Metal cabinet including stand

## Specifications

General	
Applications	Industry
Housing material	Metal
Power consumption	10 W
Display	headline, Clear Display, Color TFT-LCD
Viewing Angle Horizontal	160 °
Viewing Angle Vertical	160 °
Screen diagonal (cm)	20.3 cm
Screen diagonal (inches)	8 "
Brightness (typical)	250 cd/m <sup>2</sup>
Backlight	LED
Contrast ratio (typical)	700:1

# neo VM-SD8M

Continuation of the specifications

Response time (typical)	5 ms
Aspect ratio	4:3
Refresh rate	60 Hz
<b>Functions</b>	
Menu languages	English
<b>Notes</b>	
Remark	NDAA compliance under Section 889
<b>Interfaces / Inputs/ Outputs</b>	
Audio Inputs	1
Transmission Technology	HDCP 1.4, HDCP 2.2, HDMI 1.4a
Control Interfaces	no
Video Inputs	2x Composite (FBAS), HDMI, VGA
<b>Parts supplied</b>	
Scope of delivery	manual, power cord, PSU 100~240VAC, feet, IR remote controller, HDMI cable
<b>Product labeling:</b>	
Manufacturer order number	229215
Series	neo Monitor

## Optional Accessory

SKU	Name	Description
224229	neo VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
241896	Jetrics VM-UMA10	Aluminium gas spring monitor arm for wall mount, LCD Monitors, max. 27" support up to 7 kg max.
241897	Jetrics VM-UTM10	Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max.
241894	Jetrics VM-UWM10	Universal Wall Mount for LCD Monitors, up to max. 27", VESA support up to 15 kg max.
241898	Jetrics VM-UWM30	Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.

## eneo VM-SD8M

### Your contact person

VIDEOR E. Hartig GmbH  
Carl-Zeiss-Straße 8  
63322 Rödermark  
Germany

