



# IAM-6SE1008IMA

SKU: 230035



Gigabit Switch, Managed, 240W, Layer 3, 8xPoE, 4x SFP 10G, Industrial Design

## Main Features

8-Port Gigabit Switch Managed L3, Fanless	Web configuration, Web management
4x SFP 10 Gigabit Uplink Ports	VLAN, PoE management, MAC address table
PoE Standard IEEE 802.3af/at	Port mirroring, password protection
Up to 30W per port, total ≤240W (Power supply not included)	Relay Alarm for power failure, cable link down and PoE link down
Fast Ring-Redundant, Reconfiguration <20ms	Temperature range -40° C ~ +75° C
ESD protection IEC61000-4-5 standard	DIN-rail, Rack mounting brackets included

## Specifications

Dimensions (HxWxD)	95,6x163x110mm
Type	Layer3 Switch
Series	eneo Switch
Mounting	DIN rail, wall mount
Blower	no
Ethernet interface	1000Base-T, 100Base-TX, 10Base-T
VLAN	yes
Ports	4x 10Gbit SFP, 8x 10/100/1000Base-T, Console RJ45-RS232
PoE ports (number)	8
Management	yes

# IAM-6SE1008IMA

Continuation of the specifications

Model	DIN rail module
Supply voltage	48~57 VDC
Power consumption	260W max.
Power over Ethernet	IEEE 802.3af, IEEE 802.3at
PoE budget	240 W
Operating temperature	-40°C ~ +75°C
Weight	1.9kg
Manufacturer order number	230035

## Optional Accessory

SKU	Name	Description
218218	eneo Site Manager	Management Software for eneo IP products
219525	RJT-1000SFP	RJ45- SFP Transceiver Modul, 1000Base-T, 0°~+70°C
216479	SFP-0850M10	SFP Modul, 1.25Gbps, 550m, Multimode, 850nm, Duplex LC Connector, 0°~+70°C
218759	SFP-0850M10-10G	SFP Modul, 10Gbps, 300m, Multimode, 850nm, Duplex LC Connector, -5°~+70°C
218758	SFP-0850M40	SFP Modul, 1.25Gbps, 550m, Multimode, 850nm, Duplex LC Connector, -40° ~ +70°C
216478	SFP-1310M40	SFP Modul, 1.25Gbps, 550m, Multimode, 1310nm, Duplex LC Connector, -40°~+75°C
216566	SFP-1310S10	SFP Modul, 1.25Gbps, 20km, Singlemode, 1310nm, Duplex LC Connector, 0°~+70°C
218760	SFP-1310S10-10G	SFP Modul, 10Gbps, 10km, Singlemode, 1310nm, Duplex LC Connector, -5°~+70°C
216477	SFP-1310S40	SFP Modul, 1.25Gbps, 20km, Singlemode, 1310nm, Duplex LC Connector -40°~+75°C

# IAM-6SE1008IMA

## Your contact person

VIDEOR E. Hartig GmbH  
Carl-Zeiss-Straße 8  
63322 Rödermark  
Germany

