




# eneo VM-UHD28PA

SKU: 233024



28" (71cm) LCD Monitor, 4K UHD, 3840x2160, LED, USB, DisplayPort, 3xHDMI

## Main Features

|   |   |
|---|---|
| Professional 28"(71cm) LCD monitor                                    | Built to run 24x7x365 continuously          |
| Maximum resolution 4K UHD 3840x2160 pixels                            | Different video inputs DisplayPort, 3x HDMI |
| LED Back Light  | Built-in speakers                           |
| High brightness, High contrast  | Including stand                             |
| Perfect presentation through digital 3D filtering and noise reduction | Plastic housing                             |

## Specifications

| General                       |   |
|-------------------------------|---|
| Applications                  | 24/7, Desktop   |
| Dimensions (WxHxD) (extended) | 659,2x380,2x18mm  |
| Fortification                 | VESA Standard 100x100mm   |
| Weight                        | 5 kg  |
| Energy efficiency class       | G   |
| Color (Housing)               | Black   |
| Housing material              | Plastic   |
| Power consumption             | 40 W  |
| Power supply                  | 110-240VAC  |
| Display                       | _headline, Anti-glare display, Color TFT-LCD, Hard coating (3H) |

## eneo VM-UHD28PA

Continuation of the specifications

|                                     |  |
|-------------------------------------|--|
| Viewing Angle Horizontal            | 178 °  |
| Viewing Angle Vertical              | 178 °  |
| Screen diagonal (cm)                | 71 cm  |
| Screen diagonal (inches)            | 28 "   |
| Pixel error class                   | ISO 13406-2, Class 2                                   |
| Brightness (typical)                | 250 cd/m <sup>2</sup>                                  |
| Backlight                           | LED  |
| Contrast ratio (typical)            | 1000:1   |
| Response time (typical)             | 5 ms   |
| Aspect ratio                        | 16:9   |
| Refresh rate                        | 60 Hz  |
| <b>Functions</b>                    |  |
| Comb filter                         | Yes  |
| Menu languages                      | English, French, German, Italian, Spanish              |
| <b>Notes</b>                        |  |
| Remark                              | NDAA compliance under Section 889                      |
| <b>Interfaces / Inputs/ Outputs</b> |  |
| Transmission Technology             | HDCP 1.4, HDCP 2.2, HDMI 1.4a, HDMI 2.0                |
| Video Inputs                        | DisplayPort, HDMI 2.0                                  |
| <b>Parts supplied</b>               |  |
| Scope of delivery                   | manual,power cord,feet,IR remote controller,HDMI cable |
| <b>Video</b>                        |  |
| Maximum Image Resolution (HV)       | 3840x2160  |
| <b>Product labeling:</b>            |  |
| Manufacturer order number           | 233024   |
| Series                              | eneo Monitor   |

### Optional Accessory

| SKU    | Name              | Description   |
|--------|-------------------|---|
| 241900 | Jetrics VM-UCWM20 | Compact slim tilt wall mount LCD Monitors, 23" to 42", VESA support up to 25Kg max. |
| 241897 | Jetrics VM-UTM10  | Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max.     |
| 241898 | Jetrics VM-UWM30  | Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.      |

## eneo VM-UHD28PA

### Your contact person

VIDEOR E. Hartig GmbH  
Carl-Zeiss-Straße 8  
63322 Rödermark  
Germany

