


eneo VM-HD19MPA

SKU: 233036



19" (48cm) LCD, Industrial Monitor, 1280x1024, HDMI, VGA, Composite, Protection Glass

Main Features

Professional 19" (48 cm) LCD monitor	Fast response time 5ms
Built to run 24x7x365 continuously (Industrial Level)	Different video inputs HDMI, VGA, BNC (CVBS)
Including protection glass, Anti-Glare-Display 3H	Audio In- and Output
Maximum resolution 1280x1024 pixels	Built-in speakers
LED Back Light	Metal cabinet including wall mount

Specifications

General	
Housing material	Metal
Display	_headline, Anti-glare display, Glass, Hard coating (6.5H), Haze: 89%, Not anit-glare type
Viewing Angle Horizontal	178 °
Viewing Angle Vertical	178 °
Screen diagonal (cm)	48 cm
Screen diagonal (inches)	19 "
Brightness (typical)	250 cd/m²
Backlight	LED
Contrast ratio (typical)	1000:1
Response time (typical)	14 ms

eneo VM-HD19MPA

Continuation of the specifications

Aspect ratio	5:4
Refresh rate	60 Hz
Functions	
Menu languages	Chinese, English, French, German, Italian
Interfaces / Inputs/ Outputs	
Audio Inputs	1
Transmission Technology	HDCP 1.4, HDMI 1.4a
Control Interfaces	no
Video Inputs	Composite (FBAS), HDMI, VGA
Parts supplied	
Scope of delivery	manual,power cord,wall bracket,HDMI cable
Product labeling:	
Manufacturer order number	233036
Series	eneo Monitor

Optional Accessory

SKU	Name	Description
224229	eneo VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
228560	eneo VM-TSHA	Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg
241900	Jetrics VM-UCWM20	Compact slim tilt wall mount LCD Monitors, 23" to 42", VESA support up to 25Kg max.
241896	Jetrics VM-UMA10	Aluminium gas spring monitor arm for wall mount, LCD Monitors, max. 27" support up to 7 kg max.
241897	Jetrics VM-UTM10	Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max.
241894	Jetrics VM-UWM10	Universal Wall Mount for LCD Monitors, up to max. 27", VESA support up to 15 kg max.
241898	Jetrics VM-UWM30	Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.

eneo VM-HD19MPA

Your contact person

VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Germany

