eneo VM-HD19MPA

SKU: 233036
EAN: 4260229841747



Camera not included

19" (48cm) LCD, Industrial Monitor, 1280x1024, HDMI, VGA, Composite, Protection Glass

Main Features

- Professional 19" (48 cm) LCD monitor
- Built to run 24x7x365 continuously (Industrial Level)
- Including protection glass, Anti-Glare-Display 3H
- Maximum resolution 1280x1024 pixels
- LED Back Light
- Fast response time 5ms
- Different video inputs HDMI, VGA, BNC (CVBS)
- Audio In- and Output
- Built-in speakers
- Metal cabinet including wall mount

Specifications

General	
Applications	24/7
Dimensions (WxHxD) (extended)	401x341x48,3mm
Fortification	VESA Standard 100x100mm
Weight	4.1 kg
Energy efficiency class	F
Color (Housing)	Black
Housing material	Metal
Power consumption	25 W
Display	_headline, Anti-glare display, Glass, Hard coating (6.5H), Haze: 89%, Not anit-glare type

© Copyright VIDEOR E. Hartig GmbH - October 2026 - technical changes reserved

eneo VM-HD19MPA

Continuation of the specifications

Viewing Angle Horizontal	178 °
Viewing Angle Vertical	178 °
Screen diagonal (cm)	48 cm
Screen diagonal (inches)	19 "
Pixel error class	ISO 13406-2, Class 2
Brightness (typical)	250 cd/m²
Backlight	LED
Contrast ratio (typical)	1000:1
Response time (typical)	14 ms
Aspect ratio	5:4
Refresh rate	60 Hz
Functions	
Comb filter	Yes
Menu languages	English, French, German, Italian
Notes	
Remark	NDAA compliance under Section 889
Interfaces / Inputs/ Outputs	
Audio Inputs	1
Transmission Technology	HDCP 1.4, HDMI 1.4a
Video Outputs	Composite (FBAS)
Video Inputs	Composite (FBAS), HDMI, VGA
Parts supplied	
Scope of delivery	manual,power cord,wall bracket,remote controller with two batteriesHDMI cable
Video	
Maximum Image Resolution (H x V)	1280x1024
Product labeling:	
EAN/GTIN	4260229841747
Manufacturer order number	233036
Series	eneo Monitor

Optional Accessory

SKU	Name	Description
224229	eneo VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
228560	eneo VM-TSHA	Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg
241900	jetrics VM-UCWM20	Compact slim tilt wall mount LCD Monitors, 23" to 42", VESA support up to 25Kg max.
241896	jetrics VM-UMA10	Aluminium gas spring monitor arm for wall mount, LCD Monitors, max. 27" support up to 7 kg max.

© Copyright VIDEOR E. Hartig GmbH - October 2026 - technical changes reserved

eneo VM-HD19MPA

Continuation of accessory

241897	jetrics VM-UTM10	Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max.
241894	jetrics VM-UWM10	Universal Wall Mount for LCD Monitors, up to max. 27", VESA support up to 15 kg max.
241898	jetrics VM-UWM30	Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.

Your contact person

VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Germany

© Copyright VIDEOR E. Hartig GmbH - October 2026 - technical changes reserved