

eneo VM-FHD22PP

SKU: 233631



22" (56cm) LCD Monitor, FHD, 1920x1080, LED, HDMI, VGA, RJ45 PoE Port

Main Features

Professional 22"(56 cm) LCD monitor	Different video inputs HDMI, DVI, VGA
Maximum resolution Full HD 1920x1080 pixels	Built-in speakers
LED Back Light	Power supply by 12VDC or PoE input (RJ45)
3D filtering and noise reduction	Plastic cabinet including stand
Built to run 24x7x365 continuously	

Specifications

General	
Applications	Desktop, Industry
Housing material	Plastic
Display	_headline, Anti-glare display, Color TFT-LCD, Hard coating (3H)
Viewing Angle Horizontal	178 °
Viewing Angle Vertical	178 °
Screen diagonal (cm)	55.9 cm
Screen diagonal (inches)	22 "
Brightness (typical)	250 cd/m²
Backlight	LED
Contrast ratio (typical)	1000:1

eneo VM-FHD22PP

Continuation of the specifications

Response time (typical)	5 ms
Aspect ratio	16:9
Refresh rate	60 Hz
Functions	
Menu languages	English
Notes	
Remark	NDAA compliance under Section 889
Interfaces / Inputs/ Outputs	
Audio Inputs	1
Transmission Technology	HDCP 1.4, HDCP 2.2, HDMI 1.4a
Video Inputs	HDMI, VGA
Parts supplied	
Scope of delivery	manual,PSU 100~240VAC,IR remote controller,feet
Product labeling:	
Manufacturer order number	233631
Series	eneo Monitor

Optional Accessory

SKU	Name	Description
224229	eneo VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
239768	eneo VM-PFF	Privacy filter foils for 22" LCD-Monitors
228560	eneo VM-TSHA	Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg
241900	Jetrics VM-UCWM20	Compact slim tilt wall mount LCD Monitors, 23" to 42", VESA support up to 25Kg max.
241896	Jetrics VM-UMA10	Aluminium gas spring monitor arm for wall mount, LCD Monitors, max. 27" support up to 7 kg max.
241897	Jetrics VM-UTM10	Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max.
241894	Jetrics VM-UWM10	Universal Wall Mount for LCD Monitors, up to max. 27", VESA support up to 15 kg max.
241898	Jetrics VM-UWM30	Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.

eneo VM-FHD22PP

Your contact person

VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Germany

