



VM-FHD22PF

SKU: 234196



22" (56cm) LCD Monitor, FHD, 1920x1080, LED, DP, HDMI, VGA, Frameless, Plastic

Main Features

Professional 22"(56 cm) LCD monitor	Fast response times
Maximum resolution Full HD 1920x1080 pixels	Easy operation via navigation joystick
Different video inputs HDMI, DisplayPort, VGA	Built to run 24x7x365 continuously
LED Back Light	Plastic cabinet including stand
High contrast ratio	

Specifications

Applications	Desktop, Desktop, Industry
Audio Inputs	no
Viewing Angle Horizontal	178 °
Viewing Angle Vertical	178 °
Screen diagonal (cm)	54.48 cm
Screen diagonal (inches)	22 \"
Video Inputs	Anti-glare display, Color TFT-LCD, Hard coating (3H)
Comb filter	No
Scope of delivery	manual,Power supply unit 100 ~ 240VAC / 12VDC,50/60Hz,power cord,feet,HDMI cable
Menu languages	Chinese, English, French, German, Italian, Spanish
Housing material	Plastic

VM-FHD22PF

Continuation of the specifications

Brightness (typical)	200 cd/m ²
Backlight	LED
Contrast ratio (typical)	3000:1
Manufacturer order number	234196
Response time (typical)	6.5 ms
Aspect ratio	16:9
Series	eneo Monitor
Control Interfaces	no
Video Inputs	1x VGA, DisplayPort, HDMI
Refresh rate	60 Hz 70 Hz 75 Hz

Optional Accessory

SKU	Name	Description
224229	VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
239768	VM-PFF	Privacy filter foils for 22" LCD-Monitors
228560	VM-TSHA	Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg
241900	VM-UCWM20	Compact slim tilt wall mount LCD Monitors, 23" to 42", VESA support up to 25Kg max.
241896	VM-UMA10	Aluminium gas spring monitor arm for wall mount, LCD Monitors, max. 27" support up to 7 kg max.
241897	VM-UTM10	Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max.
241894	VM-UWM10	Universal Wall Mount for LCD Monitors, up to max. 27", VESA support up to 15 kg max.
241898	VM-UWM30	Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.

VM-FHD22PF

Your contact person

VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Germany

