eneo VM-UHD32P

SKU: 235694
EAN: 4260229841150



32" (81cm) LCD Monitor, 4K UHD, 3840x2160, LED, USB, DisplayPort, 3xHDMI 2,0

Main Features

- Professional 32" (81cm) LCD monitor
- Maximum resolution 4K UHD 3840x2160 pixels
- High brightness, high contrast, high resolution
- LED backlight
- Digital 3D filtering and noise reduction
- Designed for continuous operation 24x7x365
- Versatile inputs DisplayPort and 3x HDMI 2.0
- Loudspeaker integrated
- Frameless plastic case
- Metal stand included

Specifications

General	
Applications	24/7
Dimensions (WxHxD) (extended)	728,4x424,85x220,22mm
Fortification	VESA Standard 100x100mm
Weight	3.5 kg
Energy efficiency class	G
Color (Housing)	Black
Housing material	Plastic
Power consumption	40 W
Power supply	12VDC
Temperature Range (Operating)	0°C ~ 40°C

© Copyright VIDEOR E. Hartig GmbH - November 25, 2026 - technical changes reserved

eneo VM-UHD32P

Continuation of the specifications

Display	_headline, Color TFT-LED, Hard coating (3H)
Active Area	697,6845 x 392,256 mm
Max. Refresh Rate	60 Hz
Panel Type	IPS
Pixel Pitch	0,294x0,294 mm
Pixel Density	92.56 ppi
Viewing Angle Horizontal	178 °
Viewing Angle Vertical	178 °
Screen diagonal (cm)	81 cm
Screen diagonal (inches)	32 "
Pixel error class	Pixel fault class II according to ISO 9241-307:2008
Brightness (typical)	250 cd/m²
Backlight	LED
Contrast ratio (typical)	1000:1
Response time (typical)	5 ms
Aspect ratio	16:9
Refresh rate	60 Hz
Functions	
Low Blue Light	Yes
Comb filter	Yes
Menu languages	English, French, German, Italian, Spanish
Notes	
Remark	NDAA compliance under Section 889
Interfaces / Inputs/ Outputs	
Audio Inputs	No
Transmission Technology	HDCP 1.4, HDCP 2.2, HDMI 1.4a, HDMI 2.0a
Video Inputs	3x HDMI, DisplayPort
Parts supplied	
Scope of delivery	manual,Power supply unit 100 ~ 240VAC / 12VDC,50/60Hz,power cord,feet
Video	
Maximum Image Resolution (H x V)	3840x2160
Resolution (extended)	800x600,1024x768,1280x1024,1600x900,1920x1080 ,3840x2160
Product labeling:	
EAN/GTIN	4260229841150
Manufacturer order number	235694
Series	eneo Monitor

Optional Accessory

SKU	Name	Description

© Copyright VIDEOR E. Hartig GmbH - November 25, 2026 - technical changes reserved

eneo VM-UHD32P

Continuation of accessory

224229	eneo VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
241900	jetrics VM-UCWM20	Compact slim tilt wall mount LCD Monitors, 23" to 42", VESA support up to 25Kg max.
241896	jetrics VM-UMA10	Aluminium gas spring monitor arm for wall mount, LCD Monitors, max. 27" support up to 7 kg max.
241897	jetrics VM-UTM10	Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max.
241894	jetrics VM-UWM10	Universal Wall Mount for LCD Monitors, up to max. 27", VESA support up to 15 kg max.
241898	jetrics VM-UWM30	Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.

Your contact person

VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Germany

© Copyright VIDEOR E. Hartig GmbH - November 25, 2026 - technical changes reserved