

eneo VM-FHD24PFA

SKU: 236655



24" (61 cm) LCD Monitor Full HD, 1920x1080, LED, DisplayPort, HDMI

Main Features

Professional 24"(61 cm) LCD monitor

Maximum resolution Full HD 1920x1080 pixels

LED Back Light

Perfect presentation through digital 3D filtering
and noise reduction

Built to run 24x7x365 continuously

Different video inputs DisplayPort,HDMI

Built-in speakers (2x3W Stereo)

Frameless plastic cabinet including stand

Specifications

General	
Fortification	VESA Standard 100x100mm
Housing material	Plastic
Power consumption	25 W
Display	headline, Color TFT-LED, Hard coating (3H)
Viewing Angle Horizontal	170 °
Viewing Angle Vertical	170 °
Screen diagonal (cm)	61 cm
Screen diagonal (inches)	24 "
Brightness (typical)	250 cd/m ²
Backlight	LED
Contrast ratio (typical)	1000:1

eneo VM-FHD24PFA

Continuation of the specifications

Response time (typical)	5 ms
Aspect ratio	16:9
Refresh rate	60 Hz
Functions	
Menu languages	Chinese, English, French, German, Italian, Russian, Spanish
Notes	
Remark	NDAA compliance under Section 889
Interfaces / Inputs/ Outputs	
Audio Inputs	1
Control Interfaces	no
Video Inputs	DisplayPort, HDMI
Parts supplied	
Scope of delivery	manual, power cord, feet, Power supply unit 100 ~ 240VAC / 12VDC, 50/60Hz, HDMI cable
Product labeling:	
Manufacturer order number	236655
Series	eneo Monitor

Optional Accessory

SKU	Name	Description
224229	eneo VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
239769	eneo VM-PFF24	Privacy filter foils for 24" LCD-Monitors
241900	Jetrics VM-UCWM20	Compact slim tilt wall mount LCD Monitors, 23" to 42", VESA support up to 25Kg max.
241896	Jetrics VM-UMA10	Aluminium gas spring monitor arm for wall mount, LCD Monitors, max. 27" support up to 7 kg max.
241897	Jetrics VM-UTM10	Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max.
241894	Jetrics VM-UWM10	Universal Wall Mount for LCD Monitors, up to max. 27", VESA support up to 15 kg max.
241898	Jetrics VM-UWM30	Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.

eneo VM-FHD24PFA

Your contact person

VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Germany

