



# eneo IAD-5SG1004MUC

SKU: 237369



Gigabit Switch, Unmanaged, 60W, 4x PoE, 1x RJ45, 1x SFP, 10/100/1000 Mbps, Desktop

Camera not included

## Main Features

Gigabit PoE switch, desktop application

4x 10/100/1000 PoE+ ports, IEEE 802.3af/at

Gigabit uplink ports: 1x RJ45, 1x SFP

Up to 30W per port, total ≤60W.

Overvoltage protection IEC61000-4-5 (6KV).

Temperature range (operation) -5°C~45°C

CCTV mode enables transmission up to 250m @10Mbps

CCTV mode supports PoE watchdog function

Plug and Play, no settings required

Metal housing

## Specifications

General	
Number of PoE ports	4
Design	Desktop
Dimensions (WxHxD) (extended)	27x135x86mm
Application environment	inside
ESD protection	IEC61000-4-2, IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6
Weight	300 kg
Type	Unmanaged
Power consumption	65 W
Mounting type	Desktop
PoE Budget (Total)	60 W

# eneo IAD-5SG1004MUC

Continuation of the specifications

Power over Ethernet	IEEE 802.3af, IEEE 802.3at
Power supply	48-57 VDC
Temperature Range (Operating)	-5°C ~ +45°C
<b>Functions</b>	
Security	CCTV mode
<b>Interfaces / Inputs/ Outputs</b>	
Ethernet interface	1000Base-T, 100Base-TX, 10Base-T
Ports	1x 10/100/1000Base-T, 1x 1000Base-X SFP, 4x 10/100/1000Base-T (PoE)
<b>Parts supplied</b>	
Scope of delivery	manual,power cord,Mounting Bracket,PSU
<b>Network</b>	
Eneo _netzwerkstandards	IEEE 802.3 10BaseT, IEEE 802.3u 100BaseTX, IEEE 802.3x Flow Control
Internal Switching Capacity (Gbit)	12 Gbps
Internal Switching Capacity (MP per second)	8.9 Mpps
<b>Product labeling:</b>	
Manufacturer order number	237369

## Optional Accessory

SKU	Name	Description
218758	eneo SFP-0850M40	SFP Modul, 1,25Gbps, 550m, Multimode, 850nm, Duplex LC Connector, -40° ~ +70°C
216478	eneo SFP-1310M40	SFP Modul, 1.25Gbps, 550m, Multimode, 1310nm, Duplex LC Connector, -40°~+75°C
216566	eneo SFP-1310S10	SFP Modul, 1.25Gbps, 20km, Singlemode, 1310nm, Duplex LC Connector, 0°~+70°C

## Your contact person

VIDEOR E. Hartig GmbH  
 Carl-Zeiss-Straße 8  
 63322 Rödermark  
 Germany

