Solvido SOL-VICAM-MOBILE-LTE

SKU: 238675

INB-68M2812MFA, Junction box 3840 x 2160, 24h Farbe, IR, LTE, Varifocal lens 2,8 - 12 mm, WDR

Main Features

Portable video surveillance incl. connection cable	Applicable for construction sites
1/2,8" Sony STARVIS CMOS-Sensor, 8MP/30fps	Effortless mounting/demounting
Plug & Play	Remote access with QR-Code
Incl. 5m power supply cable with device connector	INB-68M2812MFA
Dimensions: 300 x 200 x 400 mm	SIM card not included
Wireless connectivity with LTE	Antenna does not support WLAN

Specifications

General	
Heating	No
Lighting	Infrared, White
Housing type	Outside
Housing material	Aluminium
Camera Type	Face, Intrusion Detection, People counting, Retail Intelligence
ONVIF	ONVIF Profile G, ONVIF Profile S, ONVIF Profile T
Protection	IP66
Power supply	230VAC
Temperature Range (Operating)	-30°C ~ +50°C

© Copyright VIDEOR E. Hartig GmbH - September 2026 - technical changes reserved

Solvido SOL-VICAM-MOBILE-LTE

Continuation of the specifications

Wide Dynamic Range (WDR)	120dB
Camera	
Backlight compensation	Yes
Low Speed Shutter	Yes
Resolution standard	8 MP
Recording sensor	CMOS
Chip size	1/2,8"
Photosensitivity	0,002 Lux bei F1,0
System	24h Color
Day/night switching	Switchable IR Filter (ICR)
Display	
Image resolution max.	3840x2160
Functions	
Audio support	Yes
Motion detector	Yes
Digital Noise Reduction (DNR)	Yes
Internal memory	microSDHC card, microSDXC card
Interfaces / Inputs/ Outputs	
Alarm inputs	0
Control Interfaces	Ethernet
Lens	
Horizontal angle of view	107 - 34°
Focal length	2,8 - 12 mm
Lens Type	Varifocal (motorized)
Zoom Factor (Digital)	0
Video	
Image transfer rate max.	30 fps
Video Compression	H.264, H.264+, H.265, H.265+, M-JPEG
Product labeling:	
Manufacturer order number	238675
Series	Solvido WDR Kameras

Optional Accessory

SKU	Name	Description
212371	Solvido SOL-WST-MB-20	Mastbefestigung 20cm für SOL-IQbox-mini, Set (2St)
209743	Solvido SOL-WST-WB	Wall mounting for CUS-WST and SOL-IQbox series set (4pcs) wall clearance 10mm

© Copyright VIDEOR E. Hartig GmbH - September 2026 - technical changes reserved

Solvido SOL-VICAM-MOBILE-LTE

Your contact person

VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Germany

© Copyright VIDEOR E. Hartig GmbH - September 2026 - technical changes reserved