



# eneo VM-FHD15FLT

SKU: 238858



15" (38cm) LCD Monitor, Full HD 1920x1080, LED, HDMI. DisplayPort Flush Mount, Touch Screen

## Main Features

Professional 15" (38cm) LCD touchscreen monitor

Designed for continuous operation 24x7x365 (industry level)

Maximum resolution 1920x1080 pixels

LED backlight

Short response time of 5ms

Optimum display thanks to digital 3D filtering

Viewing angle 178° horizontal and vertical

Contrast ratio typically 1,000:1

Versatile video inputs HDMI, DP

Integrated speakers

Operating voltage: 12VDC, external power supply included in d

Flush mount metal housing with white plastic cover

## Specifications

General	
Dimensions (WxHxD) (extended)	389x270x40,5mm,mit Frontcover: 439x298x46mm
Fortification	VESA Standard 100x100mm, VESA Standard 75x75mm
Weight	5 kg
Energy efficiency class	D
Housing material	Metal
Power consumption	13 W
Power supply	12VDC
Display	_headline, Color TFT-LED
Viewing Angle Horizontal	178 °

## eneo VM-FHD15FLT

Continuation of the specifications

Viewing Angle Vertical	178 °
Screen diagonal (cm)	38 cm
Screen diagonal (inches)	15 "
Pixel error class	ISO 13406-2, Class 2
Brightness (typical)	300 cd/m <sup>2</sup>
Backlight	LED
Contrast ratio (typical)	1000:1
Response time (typical)	5 ms
Aspect ratio	16:9
<b>Functions</b>	
Comb filter	Yes
Menu languages	Chinese, English, French, German, Italian, Russian, Spanish
<b>Notes</b>	
Remark	NDAA compliance under Section 889
<b>Interfaces / Inputs/ Outputs</b>	
Audio Inputs	No
Control Interfaces	no
Video Inputs	DisplayPort, HDMI, USB2.0
<b>Parts supplied</b>	
Scope of delivery	manual,power cord,Acrylic front cover,Power supply unit 100 ~ 240VAC / 12VDC,50/60Hz,HDMI cable,Thumbscrews for front cover
<b>Video</b>	
Resolution (extended)	800x600,1024x768,1280x1024,1600x900,1920x1080
Maximum Image Resolution (HV)	1920x1080
<b>Product labeling:</b>	
Manufacturer order number	238858
Series	eneo Monitor

## eneo VM-FHD15FLT

### Your contact person

VIDEOR E. Hartig GmbH  
Carl-Zeiss-Straße 8  
63322 Rödermark  
Germany

