



eneo VM-FHD24PFWA

SKU: 239392



24" (61cm) LCD Monitor, FHD, 1920x1080, LED, DisplayPort, HDMI, white

Main Features

Professional 24" (61cm) LCD monitor	Short response time of 5ms
Maximum resolution Full HD 1920x1080 pixels	Versatile inputs DisplayPort, HDMI
Designed for continuous operation 24x7x365	Integrated speakers
LED backlight	White plastic housing
Wide viewing angle 178° (H/V)	Integrated height-adjustable stand
Optimum display thanks to 3D filtering and noise suppression	

Specifications

General	
Housing material	Plastic
Power consumption	25 W
Display	_headline, Color TFT-LED, Hard coating (3H)
Viewing Angle Horizontal	178 °
Viewing Angle Vertical	178 °
Screen diagonal (cm)	61 cm
Screen diagonal (inches)	24 "
Brightness (typical)	350 cd/m²
Backlight	LED

eneo VM-FHD24PFWA

Continuation of the specifications

Contrast ratio (typical)	1000:1
Response time (typical)	5 ms
Aspect ratio	16:9
Functions	
Menu languages	Chinese, English, French, German, Italian, Russian, Spanish
Notes	
Remark	NDAA compliance under Section 889
Interfaces / Inputs/ Outputs	
Control Interfaces	no
Video Inputs	DisplayPort, HDMI
Parts supplied	
Scope of delivery	manual,power cord,Power supply unit 100 ~ 240VAC / 12VDC,50/60Hz,feet,HDMI cable
Product labeling:	
Manufacturer order number	239392
Series	eneo Monitor

Optional Accessory

SKU	Name	Description
241900	Jetrics VM-UCWM20	Compact slim tilt wall mount LCD Monitors, 23" to 42", VESA support up to 25Kg max.
241896	Jetrics VM-UMA10	Aluminium gas spring monitor arm for wall mount, LCD Monitors, max. 27" support up to 7 kg max.
241897	Jetrics VM-UTM10	Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max.
241894	Jetrics VM-UWM10	Universal Wall Mount for LCD Monitors, up to max. 27", VESA support up to 15 kg max.
241898	Jetrics VM-UWM30	Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.

eneo VM-FHD24PFWA

Your contact person

VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Germany

