eneo VM-UHD28MF

SKU: 239823





28" (71cm) LCD Monitor, 4K UHD, 3840x2160, LED, USB, DisplayPort, 3x HDMI input

Main Features

Professional 28"(71cm) LCD monitor	Built to run 24x7x365 continuously
Maximum resolution 4K UHD 3840x2160 pixels	Different video inputs DisplayPort, HDMI, USB
Media player integrated (USB)	Built-in speakers
LED Back Light	Including stand
Perfect presentation through digital 3D filtering and no	ise red t/thain housing (suitable for industrial use)

Specifications

General	
Applications	Industry
Housing material	Metal
Power consumption	40 W
Display	_headline, Anti-glare display, Color TFT-LCD, Hard coating (3H)
Viewing Angle Horizontal	178 °
Viewing Angle Vertical	178 °
Screen diagonal (cm)	71 cm
Screen diagonal (inches)	28 "
Brightness (typical)	350 cd/m²
Backlight	LED

eneo VM-UHD28MF

Continuation of the specifications

Contrast ratio (typical)	1000:1
Response time (typical)	5 ms
Aspect ratio	16:9
Functions	
Menu languages	Dutch, English, French, German, Italian, Polish, Spanish
Notes	
Remark	NDAA compliance under Section 889
Interfaces / Inputs/ Outputs	
Audio Inputs	1
Control Interfaces	no
Video Inputs	3x HDMI, DisplayPort
Parts supplied	
Scope of delivery	manuals,IR remote controller,HDMI cable,power cord,feet
Product labeling:	
Manufacturer order number	239823
Series	eneo Monitor

Optional Accessory

SKU	Name	Description
224228	eneo VM-LCDWMB1	Universal Wall Mount for LCD Monitors, 32" to 65", VESA support up to 35Kg max.
241900	Jetrics VM-UCWM20	Compact slim tilt wall mount LCD Monitors, 23" to 42", VESA support up to 25Kg max.
241897	Jetrics VM-UTM10	Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max.
241894	Jetrics VM-UWM10	Universal Wall Mount for LCD Monitors, up to max. 27", VESA support up to 15 kg max.
241898	Jetrics VM-UWM30	Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.

eneo VM-UHD28MF

Your contact person

VIDEOR E. Hartig GmbH Carl-Zeiss-Straße 8 63322 Rödermark Germany

