




eneo VM-UHD32MF

SKU: 239824



32" (81cm) LCD Monitor, 4K UHD, 3840x2160, LED, USB, DisplayPort, HDMI

Main Features

Professional 32"(81cm) LCD monitor	Built to run 24x7x365 continuously
Maximum resolution 4K UHD 3840x2160 pixels	Different video inputs DisplayPort, HDMI
Media player integrated (USB)	Built-in speakers
LED Back Light	Including stand
Perfect presentation through digital 3D filtering and noise reduction	Metal housing (suitable for industrial use)

Specifications

General	
Applications	Industry
Dimensions (WxHxD) (extended)	721x430x80mm
Fortification	VESA Standard 200x200mm
Weight	12 kg
Energy efficiency class	F
Color (Housing)	Black
Housing material	Metal
Power consumption	40 W
Display	_headline, Anti-glare display, Color TFT-LCD, Hard coating (3H)
Viewing Angle Horizontal	178 °

eneo VM-UHD32MF

Continuation of the specifications

Viewing Angle Vertical	178 °
Screen diagonal (cm)	81 cm
Screen diagonal (inches)	32 "
Pixel error class	ISO 13406-2, Class 2
Brightness (typical)	350 cd/m ²
Backlight	LED
Contrast ratio (typical)	1000:1
Response time (typical)	5 ms
Aspect ratio	16:9
Functions	
Comb filter	Yes
Menu languages	English, French, German, Italian, Spanish
Notes	
Remark	NDAA compliance under Section 889
Interfaces / Inputs/ Outputs	
Audio Inputs	1
Control Interfaces	no
Video Inputs	3x HDMI, DisplayPort
Parts supplied	
Scope of delivery	manuals,IR remote controller,HDMI cable,power cord,feet
Video	
Resolution (extended)	800x600,1024x768,1280x1024,1600x900,1920x1080,3840x2160
Maximum Image Resolution (HV)	3840x2160
Product labeling:	
Manufacturer order number	239824
Series	eneo Monitor

Optional Accessory

SKU	Name	Description
224228	eneo VM-LCDWMB1	Universal Wall Mount for LCD Monitors, 32" to 65", VESA support up to 35Kg max.
241900	Jetrics VM-UCWM20	Compact slim tilt wall mount LCD Monitors, 23" to 42", VESA support up to 25Kg max.
241898	Jetrics VM-UWM30	Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.

eneo VM-UHD32MF

Your contact person

VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Germany

