VM-FHD32PF

SKU: 243066





32" (81cm) LCD Monitor, FHD, 1920x1080, LED, HDMI, VGA

Main Features

Professional 32' (81cm) 60Hz LCD monitor	Designed for continuous operation 24x7x365
Maximum resolution Full HD 1920x1080 pixels	Versatile inputs 2x HDMI,VGA
LED backlight	Integrated speakers
Digital 3D filtering and noise reduction	Plastic housing including stand
Short response time 5ms	

Specifications

Applications	24/7
Audio Inputs	1
Viewing Angle Horizontal	178 °
Viewing Angle Vertical	178 °
Screen diagonal (cm)	81.28 cm
Screen diagonal (inches)	32 "
Fortification	VESA Standard 100x100mm
Scope of delivery	manual, Power supply unit 100 ~ 240VAC / 12VDC, 50/60Hz, power cord, feet
Menu languages	Chinese, English, French, German, Italian, Japanese, Russian, Spanish
Pixel error class	ISO 13406-2, Class 2

VM-FHD32PF

Continuation of the specifications

Energy efficiency class	Е
Color (Housing)	black
Housing material	Plastic
Brightness (typical)	350 cd/m ²
Backlight	LED
Contrast ratio (typical)	1000:1
Maximum Image Resolution (HV)	1920x1080
Manufacturer order number	243066
Response time (typical)	5 ms
Aspect ratio	16:9
Series	eneo Monitor
Control Interfaces	no
Video Inputs	VGA

Optional Accessory

SKU	Name	Description
224229	VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
241900	VM-UCWM20	Compact slim tilt wall mount LCD Monitors, 23" to 42", VESA support up to 25Kg max.
241896	VM-UMA10	Aluminium gas spring monitor arm for wall mount, LCD Monitors, max. 27" support up to 7 kg max.
241897	VM-UTM10	Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max.
241894	VM-UWM10	Universal Wall Mount for LCD Monitors, up to max. 27", VESA support up to 15 kg max.
241898	VM-UWM30	Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.

VM-FHD32PF

Your contact person

VIDEOR E. Hartig GmbH Carl-Zeiss-Straße 8 63322 Rödermark Germany

