eneo KBD-3NET

Articlenumber: 239837

Short description

Network keyboard with joystick, supports ONVIF protocol, RJ45, 12VDC



Key features

- Network controller with keyboard
- Supports eneo network cameras
- Functions PTZ, focus, zoom, preset, tours
- Supports standard ONVIF protocol
- Connection via RJ45 interface
- RS-485 interface supports Pelco D/P protocol

© Copyright VIDEOR E. Hartig GmbH - November 2026 - Subject to technical changes

Features

Product Labels	
EAN/GTIN	4260229841327
Manufacturer number	239837
Features	
Joystick	3-axis
General	
Dimensions (WxHxD) (extended)	140(150)x306x99mm
Weight	1.3 kg
Color (Housing)	anthracite
Power consumption	12 W
Temperature Range (Operating)	0°C ~ +55°C
Scope of Delivery	
Scope of delivery	manual, PSU 100~240VAC
Notes	
Remark	To guarantee you an optimum user experience, we recommend that you only use components of the same brand in a system. If several brands are used in combination, eneo cannot guarantee functionality. If combined use is necessary, we offer a compatibility check for a fee (for more information, see article number #229235 at VIDEOR)., The keyboard can be managed from version 4.12 of the eneo Site Manager (article 218218).

Further information

The network system keyboard with joystick offers versatile application options for controlling and managing surveillance systems. Thanks to support for the ONVIF protocol, it is compatible with a wide range of IP cameras, including eneo network cameras, making it easier to integrate into existing surveillance networks. The connection is made via an RJ45 interface, which enables easy integration into networks.

In addition to network communication, the keyboard also supports classic serial interfaces, such as the RS-485 interface, to control cameras via the Pelco D/P protocol. This extends compatibility to a wide range of PTZ cameras that enable precise control of pan, tilt and zoom functions (PTZ).

The main functions of the keyboard include controlling PTZ cameras, focus and zoom settings, and calling up and controlling preset positions. The integrated joystick ensures intuitive and smooth operation, which is of great importance in safety-critical areas such as surveillance control rooms, traffic control centers or in large building complexes. The 12VDC power supply makes the keyboard flexible to use, as it is compatible with many standardized surveillance installations.

Overall, this network keyboard is ideal for professional use in video surveillance and offers a high level of flexibility thanks to its compatibility with ONVIF and support for multiple control protocols.

© Copyright VIDEOR E. Hartig GmbH - November 2026 - Subject to technical changes

Optional Accessories

Art. Nr	Name	Product description
218218	eneo Site Manager	Management Software for eneo IP products

eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark, Deutschland

Phone: +49 6074 - 888 - 300
Fax: +49 6074 - 888 - 100
E-Mail: info@eneo-security.com
Web: www.eneo-security.com

© Copyright VIDEOR E. Hartig GmbH - November 2026 - Subject to technical changes